

Workshop HfM Karlsruhe

Music Information Retrieval


Music Representations

Christof Weiß, Frank Zalkow, Meinard Müller

International Audio Laboratories Erlangen

christof.weiss@audiolabs-erlangen.de
frank.zalkow@audiolabs-erlangen.de
meinard.mueller@audiolabs-erlangen.de









Book: Fundamentals of Music Processing



Meinard Müller
Fundamentals of Music Processing
Audio, Analysis, Algorithms, Applications
483 p., 249 illus., hardcover
ISBN: 978-3-319-21944-8
Springer, 2015

Accompanying website:
www.music-processing.de

Book: Fundamentals of Music Processing

Chapter		Music Processing Scenario
1		Music Representations
2		Fourier Analysis of Signals
3		Music Synchronization
4		Music Structure Analysis
5		Chord Recognition
6		Tempo and Beat Tracking
7		Content-Based Audio Retrieval
8		Musically Informed Audio Decomposition

Meinard Müller

Fundamentals of Music Processing

Audio, Analysis, Algorithms, Applications

483 p., 249 illus., hardcover









ISBN: 978-3-319-21944-8

Springer, 2015

Accompanying website:

www.music-processing.de

Book: Fundamentals of Music Processing

Chapter		Music Processing Scenario
1		Music Representations
2		Fourier Analysis of Signals
3		Music Synchronization
4		Music Structure Analysis
5		Chord Recognition
6		Tempo and Beat Tracking
7		Content-Based Audio Retrieval
8		Musically Informed Audio Decomposition

Meinard Müller

Fundamentals of Music Processing

Audio, Analysis, Algorithms, Applications

483 p., 249 illus., hardcover

ISBN: 978-3-319-21944-8


Springer, 2015

Accompanying website:

www.music-processing.de

Chapter 1: Music Representations

- 1.1 Sheet Music Representations
- 1.2 Symbolic Representations
- 1.3 Audio Representation
- 1.4 Further Notes





Musical information can be represented in many different ways. In Chapter 1, we consider three widely used music representations: sheet music, symbolic, and audio representations. This first chapter also introduces basic terminology that is used throughout the book. In particular, we discuss musical and acoustic properties of audio signals including aspects such as frequency, pitch, dynamics, and timbre.

Music Representations

Allegro con brio ($\text{♩} = 108$)

ff

Red. *



Music Representations

- Sheet music representation
 - visual description of a musical score
 - image format (printed or scanned)
- Symbolic representations
 - description based on entities with explicit musical meaning
 - given in digital format that can be parsed by a computer
- Audio representation
 - physical description
 - encoding of sound wave

Sheet Music Representation

- Graphical-textual encoding of musical parameters
 - notes (onsets, pitches, durations)
 - tempo, measure, dynamics
 - instrumentation
 - ...
- Guide for performing music
- Leaves freedom for various interpretations


Sheet Music Representation

Allegro con brio (♩ = 108)

The image displays a musical score for a piano piece. The tempo is marked 'Allegro con brio' with a quarter note equal to 108 beats per minute. The time signature is 2/4. The key signature has two flats (B-flat major). The first staff (treble clef) begins with a forte (*ff*) dynamic and contains a series of chords. The second staff (bass clef) contains a series of chords and a melodic line. The piece concludes with a 'Ped.' (pedal) instruction and a star symbol.


Sheet Music Representation

Piano keyboard and notes



Sheet Music Representation

Piano keyboard and notes




A4

A \triangleq pitch spelling attribute

4 \triangleq octave number

Sheet Music Representation

Piano keyboard and notes




A \triangleq pitch spelling attribute
4 \triangleq octave number

Sheet Music Representation


Chromatic circle

Chroma \triangleq pitch spelling attribute



Shepard's helix of pitch

Tone height \triangleq octave number



Sheet Music Representation


Staff



Staff with G-clef



Staff with F-clef



Sheet Music Representation

Musical score of a C-major scale



Sheet Music Representation

Musical score of a C-major scale



Musical score of a C-minor scale



Key signature
consisting of
three flats


Sheet Music Representation

Time signature



Sheet Music Representation

Time signature



Sheet Music Representation

Time signature

Four quarter notes
per measure



bar lines

Six eighth notes
per measure




measure (bar)

Sheet Music Representation

Time signature

Four quarter notes
per measure




Six eighth notes
per measure



Sheet Music Representation

Note durations

Parts of a note



Different durations of notes



Different durations of rests




Sheet Music Representation

Staff systems

Piano



Strings



Sheet Music Representation

Dynamics and articulation

The image displays a musical staff in 4/4 time, illustrating various dynamics and articulation markings. The staff begins with a treble clef and a 4/4 time signature. The first four measures show a crescendo (marked with a wedge) followed by a diminuendo (marked with an inverted wedge). The fifth measure is marked *piano* (*p*), and the sixth measure is marked *forte* (*f*). The seventh measure is marked *legato* with a slur. The eighth measure is marked *staccato* with a V-shaped mark. The final four measures are marked *lyrics* and contain the notes do, re, mi, fa, so, la, si, do. The word *lyrics* is written below the staff.

crescendo diminuendo piano forte

p *f*

legato staccato lyrics

do re mi fa so la si do

Sheet Music Representation

Allegro con brio. $\text{♩} = 108$.

Flauti.

Oboi.

Clarinetti in B.

Fagotti.

Allegro con brio. $\text{♩} = 108$.

Corni in Es.

Trombe in C.

Timpani in C.G.

Allegro con brio. $\text{♩} = 108$.

Violino I.

Violino II.

Viola.

Violoncello.

Basso.

The image displays a page of sheet music for a symphony orchestra, measures 108-112. The music is in 2/4 time and the key signature has two flats (B-flat major). The tempo is marked 'Allegro con brio' with a quarter note equal to 108 beats per minute. The score is divided into three systems. The first system includes Flutes, Oboes, Clarinets in B, and Bassoons. The second system includes Horns in E-flat, Trumpets in C, and Timpani in C.G. The third system includes Violins I & II, Viola, Violoncello, and Bass. Dynamics such as fortissimo (ff) and piano (p) are indicated throughout the score.

Sheet Music Representation

CHORD SYMBOLS

C7 **F**

MELODY

W - **R** - **PE** - **DI** - **A**

LYRIC

A hand-drawn musical score on a five-line staff. The staff begins with a treble clef, a key signature of one flat (Bb), and a 4/4 time signature. The melody consists of four measures. The first measure contains a whole note on the line below the staff (Bb3), with the lyric 'W' underneath. The second measure contains a whole note on the line below the staff (Bb3), with the lyric 'R' underneath. The third measure contains a half note on the space (D4) and a quarter note on the line (E4), with the lyric 'PE' underneath. The fourth measure contains a quarter note on the space (D4) and a half note on the line (A4), with the lyric 'DI' underneath. The final measure contains a whole note on the line (A4), with the lyric 'A' underneath. Above the staff, the chord symbols 'C7' and 'F' are written. A bracket labeled 'CHORD SYMBOLS' spans both. A line labeled 'MELODY' points to the first measure. A line labeled 'LYRIC' points to the final measure.

Sheet Music Representation



Sheet Music Representation

Types of score

- Full score: shows music for all instruments and voices; used by conductors
- Piano (reduction) score: transcription for piano
Example: Liszt transcription of Beethoven symphonies
- Short score: reduction of a work for many instruments to just a few staves
- Lead sheet: specifies only melody, lyrics and harmonies (chord symbols); used for popular music to capture essential elements of a song

Symbolic Representation

- Symbolic description of music
 - based on entities that have an explicit musical meaning
 - given in some digital format
 - can be parsed by a computer
 - Note:
 - Scanned sheet music based on pixels
 - Digital audio file based on samples
- are **not** regarded as being symbolic music formats

Symbolic Representation


MusicXML

```
<note>  
  <pitch>  
    <step>E</step>  
    <alter>-1</alter>  
    <octave>4</octave>  
  </pitch>  
  <duration>2</duration>  
  <type>half</type>  
</note>
```



Symbolic Representation

Piano roll representation



Symbolic Representation

Piano roll representation




Symbolic Representation

Piano roll representation

- Piano roll: music storage medium used to operate a player piano
- Perforated paper rolls
- Holes in the paper encode the note parameters onset, duration, and pitch
- First pianola: 1895


Symbolic Representation

Piano roll representation



Symbolic Representation

Piano roll representation



Symbolic Representation


MIDI representation

- Musical Instrument Digital Interface (MIDI)
- Standard protocol for controlling and synchronizing digital instruments
- Standard MIDI File (SMF) is used for collecting and storing MIDI messages
- SMF file is often called MIDI file

Symbolic Representation

MIDI representation

MIDI note numbers (MNN) \triangleq piano keys




Symbolic Representation

MIDI representation

- MIDI note number (pitch)
 $p = 21, \dots, 108 \triangleq$ piano keys
 $p = 69 \triangleq$ concert pitch A4
- Key velocity \triangleq intensity
- MIDI channel \triangleq instrument
- Note-on / note-off events \triangleq onset time & duration
- Tempo measured in clock pulses or ticks
(each MIDI event has a timestamp)
- Absolute tempo specified by
 - ticks per quarter note (musical time)
 - micro-seconds per tick (physical time)

Symbolic Representation


MIDI representation



Time (Ticks)	Message	Channel	Note Number	Velocity
60	NOTE ON	1	67	100
0	NOTE ON	1	55	100
0	NOTE ON	2	43	100
55	NOTE OFF	1	67	0
0	NOTE OFF	1	55	0
0	NOTE OFF	2	43	0
5	NOTE ON	1	67	100
0	NOTE ON	1	55	100
0	NOTE ON	2	43	100
55	NOTE OFF	1	67	0
0	NOTE OFF	1	55	0
0	NOTE OFF	2	43	0
5	NOTE ON	1	67	100
0	NOTE ON	1	55	100
0	NOTE ON	2	43	100
55	NOTE OFF	1	67	0
0	NOTE OFF	1	55	0
0	NOTE OFF	2	43	0
5	NOTE ON	1	63	100
0	NOTE ON	2	51	100
0	NOTE ON	2	39	100
240	NOTE OFF	1	63	0
0	NOTE OFF	2	51	0
0	NOTE OFF	2	39	0

Symbolic Representation

MIDI representation



Audio Representation

Various interpretations – Beethoven's Fifth

Bernstein



Karajan



Scherbakov (piano)




MIDI (piano)




Audio Representation

Waveform



Audio Representation

Waveform




Audio Representation

Waveform

- Audio signal encodes change of air pressure at a certain location generated by a vibrating object (e.g. string, vocal cords, membrane)
- Waveform (pressure-time plot) is graphical representation of audio signal
- Parameters: amplitude, frequency / period

Audio Representation

Waveform



Audio Representation

Waveform

Pure tone (harmonic sound):


- Sinusoidal waveform
- Prototype of an acoustic realization of a musical note

Parameters:

- Period p : time between to successive high pressure points
- Frequency $f = \frac{1}{p}$ (measured in Hz)
- Amplitude a : air pressure at high pressure points



Audio Representation

Waveform



Audio Representation



Waveform



D2 (73.4 Hz)

Audio Representation

Waveform



D2 (73.4 Hz)

37 periods within
500 ms section

Audio Representation

Sound

- Sound: superposition of sinusoidals
- When realizing musical notes on an instrument one obtains a complex superposition of pure tones (and other noise-like components)
- Harmonics: integer multiples of fundamental frequency
 1. Harmonic \triangleq fundamental frequency (e.g. 440 Hz)
 2. Harmonic \triangleq first overtone (e.g. 880 Hz)
 3. Harmonic \triangleq second overtone (e.g. 1320 Hz)

Audio Representation

Pitch

- Property that correlates to the perceived frequency (\triangleq fundamental frequency)
- Example: A4 (also called concert pitch) \triangleq 440 Hz
- Slight changes in frequency have no effect on perceived pitch (pitch \triangleq entire range of frequencies)
- Pitch perception: logarithmic in frequency
Example: octave \triangleq doubling of frequency

Audio Representation

Pitch

Equal-tempered scale: A system of tuning in which every pair of adjacent notes has an identical frequency ratio

Western music: 12-tone equal-tempered scale

- Each octave is divided up into 12 logarithmically equal parts
- Notes correspond to piano keys: $p = 21$ (A0) to $p = 108$ (C8)
- Reference or standard pitch: $p = 69$ (A4) \triangleq 440 Hz
- Center frequency of a note with MIDI pitch p

$$F_{\text{pitch}}(p) = 2^{(p-69)/12} \cdot 440 \quad (\text{Hz})$$

Audio Representation

Pitch

- **Semitone:** difference between two subsequent scale steps
- Ratio of frequencies one semitone apart is constant:

$$F_{\text{pitch}}(p+1)/F_{\text{pitch}}(p) = 2^{1/12} \approx 1.059463$$

- **Cent:** 1200 cents per octave (by definition)
100 cents per semitone (equivalent definition)
- Ratio of frequencies one cent apart is constant:

$$2^{1/1200} \approx 1.0005777895$$

Audio Representation

Pitch

- Difference in cents between two frequencies ω_1 and ω_2 :

$$\log_2 \left(\frac{\omega_1}{\omega_2} \right) \cdot 1200$$

- Just noticeable difference = threshold of what is perceptible
 - varies from person to person
 - depends on other aspects such as the timbre
 - 25 cents recognizable by most people
 - 10 cents recognizable only by trained listeners

Audio Representation

Harmonics



Harmonics: Frequency = integer multiples of fundamental frequency



Deviation in cents: +2 -14 +2 -31 +4 -14 -49 +2 +41 -31 -12

MIDI: Frequency = fundamental frequency of MIDI pitch



Stereo file: Harmonics vs. MIDI



Mix

Audio Representation

Dynamics

- Intensity of a sound
- Energy of the sound per time and area
- Loudness: subjective (psychoacoustic) perception of intensity (depends on frequency, timbre, duration)

Audio Representation

Dynamics

- $\text{intensity} = \frac{\text{energy}}{\text{time} \cdot \text{area}} = \frac{\text{power}}{\text{area}} \quad \left(\frac{\text{W}}{\text{m}^2} \right)$
- Decibel (dB): logarithmic unit to measure intensity relative to a reference level
- Reference level: threshold of hearing (THO) $I_{\text{TOH}} := 10^{-12} \text{ W/m}^2$
- Intensity I measured in dB: $\text{dB}(I) := 10 \cdot \log_{10} \left(\frac{I}{I_{\text{TOH}}} \right)$
- Examples:
$$I = 10 \cdot I_{\text{TOH}} \rightarrow I \text{ has a sound level of } 10 \text{ dB}$$
$$I = 100 \cdot I_{\text{TOH}} \rightarrow I \text{ has a sound level of } 20 \text{ dB}$$


Audio Representation

Dynamics

Source	Intensity	Intensity level	× TOH
Threshold of hearing (TOH)	10^{-12}	0 dB	1
Whisper	10^{-10}	20 dB	10^2
Pianissimo	10^{-8}	40 dB	10^4
Normal conversation	10^{-6}	60 dB	10^6
Fortissimo	10^{-2}	100 dB	10^{10}
Threshold of pain	10	130 dB	10^{13}
Jet take-off	10^2	140 dB	10^{14}
Instant perforation of eardrum	10^4	160 dB	10^{16}


Audio Representation

Dynamics



Audio Representation


Dynamics



Audio Representation

Dynamics


ADSR model: attack (A), decay (D), sustain (S), and release (R) phase



Audio Representation

Loudness


Equal-loudness contours (phon)



Audio Representation

Loudness

Equal-loudness contours (phon)



Audio Representation


Timbre

- Quality of musical sound that distinguishes different types of sound production such as voices or instruments
- Tone quality
- Tone color
- Depends on energy distribution in harmonics

Audio Representation

Timbre

Piano playing
note C4 (261.6 Hz)



Audio Representation


Timbre

Violine playing
note C4 (261.6 Hz)




Vibrato:
Frequency modulations

Tremolo:
Amplitude modulations



Audio Representation

Digitization



Audio Representation


Digitization

- Conversion of continuous-time (analog) signal into a discrete signal
- Sampling (discretization of time axis)
- Quantization (discretization of amplitudes)

Examples:

- Audio CD: 44100 Hz sampling rate
16 bits (65536 values) used for quantization
- Telephone: 8000 Hz sampling rate
8 bits (256 values) used for quantization

Music Representations




OMR = optical music recognition

Process of transforming sheet music into a symbolic representation

Music Representations

OMR

Original score




OMR score



Music Representations

OMR

Original score



OMR score



OMR errors